


Figure 3







Figure 5A







Figure 5C



PANEL B Theoretical and observed tryptic peptides of WSG and WP5212

Theoretical fragmentation * of Glb1 (Acc. No. AAA34269)	Theoretical fragmentation * of WP5212	Experimental fragmentation
RPYVFGPR VAIMEVNPR AQDQDEGFVAGPEQQSR FQFLSVKPLLASLSK GSESESEEEEEQQR LGSPAQELTFGRPAR DTFNLLEQRPK SFHALANQDVR GGHSLQQCVQR ALRPFDQVSR IIQSDHGFVR HEQEEEQGR GDEAVETFLR EQEQEQER ILHTISVPGK EEAEEGDQR DDQQQHGR	RPYVFGPR VAIMEVNPR ATIPLLFLLGTSLLFAAAVSASHDEEEDR AFVVPGLTDADGVGYVAQGEGVLTVIENGEK VAVANITPGSMTAPYLNTQSFK QGDVIVAPAGSIMHLANTDGR LAVVLEGEGEVEIVCPHLGR GSAFVVPPGHPVVEIASSR DQQDEGFVAGPEQQQEHER QASEGDQGHHWPLPPFR GSSNLQVVCFEINAER LDDPAQELAFGRPAR FQYFSAKPLLASLSK GSGSESEEEQDQQR DTFNLLEGRPK SFHALACHDVR GDEAVEAFLR ALRPFDEVSR ILHTISVPGK GDSSTMATR SEEEEDDR DDQQOHGR HEQEEQGR DEEHGDGR LGSLLGSR	RPYVFGPR VAIMEVNPR

Theoretical fragmentation was estaulated using the PeptideCutterprogram (Swiss Prot (2002) website address: http://us.expasy.org/toots/peptidecutter, Swiss Institute of Bioinformatics, Epalinges, Switzerland)

Figure 6B




Figure 7




Figure 8




Figure 9





Figure 10



## REPLACEMENT SHEET 10/15





Figure 12A










Figure 12B

### 12/15






·Harvest the supernatant on day 8 for cytokine evaluation.

·Calculation of CDI in different population of T cells.

Figure 13



**CFSE**Figure 14A

CDI: Number of CD3+, CFSE dim cells with antigen
Number of CD3+, CFSE dim cells without antigen

Figure 14B

# REPLACEMENT SHEET 14/15

